

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	38797	(updat\$3 upgrad\$3 extend\$3 increas\$3 add\$3) near3 (number\$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:43
L3	2743	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:43
L4	28	L3 and (updat\$3 upgrad\$3 extend\$3 increas\$3 add\$3) near3 (number\$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:43
L5	394	711/2.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:44
L6	3	L5 and (updat\$3 upgrad\$3 extend\$3 increas\$3 add\$3) near3 (number\$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:44
L7	556	711/129.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:44
L8	27	L7 and (updat\$3 upgrad\$3 extend\$3 increas\$3 add\$3) near3 (number\$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:45
L9	591	711/153.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:45

L10	21	L9 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (number \$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:45
L11	2	L9 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (number \$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:46
L12	5	L7 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (number \$2 quantity\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2) and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:46
L13	19	L9 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (partition \$2 sector\$2 section \$2 part\$1 segment \$2) with tim\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:48
L14	212	(updat\$3 upgrad \$3 extend\$3 increas\$3 add\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2) with (tim\$3 near3 (condition restriction issu\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:50
L15	0	3 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (partition \$2 sector\$2 section \$2 part\$1 segment \$2) with (tim\$3 near3 (condition restriction issu\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:50

L16	0	5 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (partition \$2 sector\$2 section \$2 part\$1 segment \$2) with (tim\$3 near3 (condition restriction issu\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:50
L17	0	6 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (partition \$2 sector\$2 section \$2 part\$1 segment \$2) with (tim\$3 near3 (condition restriction issu\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:51
L18	0	5 and (updat\$3 upgrad\$3 extend \$3 increas\$3 add \$3) near3 (partition \$2 sector\$2 section \$2 part\$1 segment \$2) with (tim\$3 near3 (condition restriction issu\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:51
L19	23	(updat\$3 upgrad \$3 extend\$3 increas\$3 add\$3) near3 (partition\$2 sector\$2 section\$2 part\$1 segment\$2) with (tim\$3 near3 (condition restriction issu\$3)) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:52
L20	408	(partition\$2 sector \$2 section\$2 part \$1 segment\$2) with (tim\$3 near3 (condition restriction issu\$3)) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:53
L21	233	(partition\$2 sector \$2 section\$2 part \$1 segment\$2) with (tim\$3 near3 (condition restriction issu\$3)) and encrypt\$3 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:53

L22	206	(partition\$2 sector \$2 section\$2 part \$1 segment\$2) with (tim\$3 near3 (condition restriction issu\$3)) and encrypt\$3 and authentica\$3 and secur\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:54
L23	18	(partition\$2 sector \$2 section\$2 part \$1 segment\$2) with (tim\$3 near3 (condition restriction issu\$3)) and encrypt\$3 and authentica\$3 and partition	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:54
L24	33	partition near3 (before after) near3 (issu\$3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:55
L25	144	partition with (before after) near3 (issu\$3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:55
L26	2	3 and partition with (before after) near3 (issu\$3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:56
L27	0	5 and partition with (before after) near3 (issu\$3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:56
L28	0	7 and partition with (before after) near3 (issu\$3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:56
L29	0	9 and partition with (before after) near3 (issu\$3 manufactur\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 13:56
L31	2	(tim\$3 near3 updat \$3 near4 partition \$3 with (authentica\$3 authoriz\$3 validat43 verify \$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:40

L32	2	(tim\$3 near3 updat \$3 near4 partition \$3) same (authenticat\$3 authoriz\$3 validat43 verify\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:41
L33	25	(tim\$3 near3 updat \$3 near4 partition \$3) and (authenticat\$3 authoriz\$3 validat43 verify\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:41
L34	17968	(maximum minimum number) near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:42
L35	38	3 and (maximum minimum number) near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:43
L36	10	5 and (maximum minimum number) near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:43
L37	104	7 and (maximum minimum number) near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:43
L38	91	9 and (maximum minimum number) near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:43
L39	3	7 and (maximum minimum number) near3 partition\$3 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:43
L40	13	9 and (maximum minimum number) near3 partition\$3 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:43
L41	0	(controller key partition\$3 authenticat\$3 secur \$3 address\$3 condition\$3 number \$2 siz\$3 updat\$3 tim\$3 maximum issuanc\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	OFF	2009/05/20 14:46

L42	0	3 and (controller key partition\$3 authentica\$3 secur \$3 address\$3 condition\$3 number \$2 siz\$3 updat\$3 tim\$3 maximum issuanc\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	OFF	2009/05/20 14:47
L43	0	5 and (controller key partition\$3 authentica\$3 secur \$3 address\$3 condition\$3 number \$2 siz\$3 updat\$3 tim\$3 maximum issuanc\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	OFF	2009/05/20 14:47
L44	0	7 and (controller key partition\$3 authentica\$3 secur \$3 address\$3 condition\$3 number \$2 siz\$3 updat\$3 tim\$3 maximum issuanc\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	OFF	2009/05/20 14:47
L45	0	9 and (controller key partition\$3 authentica\$3 secur \$3 address\$3 condition\$3 number \$2 siz\$3 updat\$3 tim\$3 maximum issuanc\$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	SAME	OFF	2009/05/20 14:47
L46	13	masamoto near1 tanabiki.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/20 14:49
L47	7	masamoto near1 tanabiki.in.	US-PGPUB; USPAT	OR	OFF	2009/05/20 14:49
L48	68	inoue near1 kazunori.in.	US-PGPUB; USPAT	OR	OFF	2009/05/20 15:13
L49	68	inoue near1 kazunori.in.	US-PGPUB; USPAT	OR	OFF	2009/05/20 15:13
L50	16	hayashi near1 ito. in.	US-PGPUB; USPAT	OR	OFF	2009/05/20 15:17
S63	3789402	partition siz\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 17:25
S64	3483	partition near2 siz \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 17:25

S65	19	repartition near2 siz \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 17:25
S66	429	user near3 (control \$3 provid\$3 perform\$3) near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 17:59
S67	141	user near3 (control \$3 provid\$3 perform\$3) near3 partition\$3 and (number\$3 near3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 18:02
S68	5	user near3 (control \$3 provid\$3 perform\$3) near3 partition\$3 and ((number\$3 near3 partition\$3) near3 (add\$3 incre\$3 decre\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 18:03
S69	2722	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 18:07
S70	0	S69 and user near3 (control\$3 provid\$3 perform \$3) near3 partition \$3 and (number\$3 near3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 18:07
S71	393	711/2.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 18:08
S72	0	S71 and user near3 (control\$3 provid\$3 perform \$3) near3 partition \$3 and (number\$3 near3 partition\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/04 18:08
S75	3	(tim\$3 dat\$3) near3 partion	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:38
S76	1	("4853522").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:42
S77	33886	(authentikat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:44

S78	1196	(authenticat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3 with (partition\$3 segment\$3 block \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:45
S79	189	(authenticat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3 with (partition\$3 segment\$3 block \$3) and (siz\$3 and maximum and minimum)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:46
S80	393	711/2.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:47
S81	0	S80 and (authenticat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3 with (partition\$3 segment\$3 block \$3) and (siz\$3 and maximum and minimum)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:47
S82	2728	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:47
S83	0	S82 and (authenticat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3 with (partition\$3 segment\$3 block \$3) and (siz\$3 and maximum and minimum)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:47

S84	10115	(control\$3 provid\$3 creat\$3 mak\$3 perform\$3) near3 (partion part block section sector) and (memory ram rom storage flash cache harddrive drive disk) and (security near3 level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:49
S85	14	S79 and (control\$3 provid\$3 creat\$3 mak\$3 perform\$3) near3 (partion part block section sector) and (memory ram rom storage flash cache harddrive drive disk) and (security near3 level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:49
S86	1	S80 and (control\$3 provid\$3 creat\$3 mak\$3 perform\$3) near3 (partion part block section sector) and (memory ram rom storage flash cache harddrive drive disk) and (security near3 level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:51
S87	262	S82 and (control\$3 provid\$3 creat\$3 mak\$3 perform\$3) near3 (partion part block section sector) and (memory ram rom storage flash cache harddrive drive disk) and (security near3 level)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:52

S88	0	S87 and (partion near3 (rul\$2 policy \$3 restriction restrict\$3 limit\$3 maximum minimum number siz\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:54
S89	11	(partion near3 (rul \$2 policy\$3 restriction restrict \$3 limit\$3 maximum minimum number siz\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:55
S90	1	(partion near3 (rul \$2 policy\$3 restriction restrict \$3 limit\$3 maximum minimum number siz\$3)) and (authentica\$3 validat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:56
S91	567735	(limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:57
S92	83	S80 and (limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:58
S93	646	S82 and (limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:59
S94	352	S82 and (limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3) and authentica \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 09:59

S95	1	S82 and (limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3) and authenticat \$3 and partion\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:00
S96	12	(limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3) and authenticat \$3 and partion\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:01
S97	553	711/129.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:03
S98	588	711/153.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:03
S99	0	S97 and (limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3) and authenticat \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:03
S100	14	S98 and (limit\$3 maximum minimum number siz\$3) near3 (partion part section sector block \$3) and authenticat \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:03
S101	0	S99 and (authenticat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3 with (partition\$3 segment\$3 block \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:06

S102	0	S100 and (authenticat\$3 authoriz\$3 validat \$3 verify\$3) near3 tim\$3 with (partition\$3 segment\$3 block \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:06
S103	1	(add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 partion	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:08
S104	130051	(add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 (partion part segment\$3 block \$3 portion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:09
S105	62	S97 and (add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 (partion part segment\$3 block \$3 portion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:24
S106	73	S98 and (add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 (partion part segment\$3 block \$3 portion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:24

S107	28	S80 and (add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 (partion part segment\$3 block \$3 portion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:24
S108	250	S82 and (add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 (partion part segment\$3 block \$3 portion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:25
S109	15	S82 and (add\$3 incre\$3 delet\$3 decre\$3 includ\$3 provid\$3 mak\$3 generat\$3) near3 (more less siz\$3 number\$3) near4 (partion part segment\$3 block \$3 portion) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/05/05 10:25

5/ 20/ 2009 3:23:41 PM

C:\ Documents and Settings\ aabyaneh\ My Documents\ EAST\ Workspaces\ 10530477.wsp